








|                    |             |                      |
|--------------------|-------------|----------------------|
|                    |             | MAGNA3 D 32-40       |
|                    |             | 97924449             |
| EAN                |             | 5710626495276        |
|                    |             | 4.6 <sup>3/</sup>    |
|                    |             | 3                    |
| TF                 |             | 40                   |
|                    |             | 110                  |
|                    |             | CE,VDE,EAC,CN        |
|                    |             | ROHS,WEEE            |
|                    |             | D                    |
|                    |             | EN-GJL-200           |
|                    |             | ASTM A48-200B        |
|                    |             | PES 30%GF            |
|                    |             | 0 .. 40 °C           |
|                    |             | 10                   |
|                    |             | G 2"                 |
|                    |             | PN10                 |
|                    |             | 180                  |
|                    |             | -10 .. 110 °C        |
|                    |             | 60 °C                |
|                    |             | 983.2 / <sup>3</sup> |
|                    | -P1:        | 9 .. 66              |
|                    |             | 50 Hz                |
|                    |             | 1 x 230              |
|                    |             | 0.09 .. 0.61 A       |
|                    | (IEC 34-5): | X4D                  |
|                    | (IEC 85):   | F                    |
|                    | (EEI):      | 0.19                 |
|                    |             | 13.2                 |
|                    |             | 14                   |
|                    |             | 0.053 <sup>3</sup>   |
| Norwegian NRF no.: |             | 9042342              |
| C                  |             | DE                   |
|                    |             | 8413703000           |



Example of mains-connected motor with mains switch, backup fuse and additional protection

