

1 COMFORT 15-14 BA PM
: 97916757

Grundfos Comfort PM

12-

AUTOADAPT

Grundfos

COMFORT AUTO

COMFORT BX
AUTOADAPT

COMFORT B.
Grundfos

*

AUTOADAPT,

48%

96%

*

legionella (

*

*

*

*

ALPHA-

*

*

*

*

*

*

*

:

:

: 2..95 °C

: 60 °C

:

983.2 / 3

TF :

95

: CE,VDE,EAC,WEEE

:

:

MS 68

, EPDM, PPO,

:

:

: 10

:

: Rp

:

: 1/2

:

: 80

:

:

: 7

:

: 50 Hz

:

: 1 x 230

3: 0.07 A
- : 0.6
(IEC 34-5): IP44
(IEC 85): F

:
:
:
:
:
:
Danish VVS No.: 380634014
Swedish RSK No.: 5803088
Norwegian NRF no.: 9042115
C : DE
: 8413703000

Model	COMFORT 15-14 BA PM
EAN	97916757 5710626363506
TF	1 14 95
Material	CE, VDE, EAC, WEEE MS 68 PPO, EPDM
Dimensions	10 Rp 1/2 80
Temperature	2 .. 95 °C 60 °C 983.2 / ³
Frequency	50 Hz
Speed	1 x 230
Current	3: 0.07 A
Efficiency	0.6
Protection	(IEC 34-5): IP44 (IEC 85): F
Weight	1 1.12 0.003 ³
Danish VVS No.:	380634014
Swedish RSK No.:	5803088
Norwegian NRF no.:	9042115
C	DE 8413703000

